

# Dr. Bhubaneswar Borooah Cancer Institute

A Grant-in-Aid Institute of Department of Atomic Energy, Govt. of India

And a Unit of Tata Memorial Centre (Mumbai)

Gopinath Nagar, Guwahati- 781016

No.BBCI-TMC/Misc-246/ 785 /2021

Date: 12.03.2021

## LIMITED TENDER NOTICE

Dr. B. Borooah Cancer Institute, Gopinath Nagar, Guwahati- 16 invites quotations from the Registered Vendors of BBCI for supply of the following Item:

Sl. No.	Particulars	Estimated Quantity	Estimated Value (In Rs.)
1	Luxury Donor Station ( Please See Annexure A for technical Specification)	01 no	Rs. 3,00,000.00

## TERMS & CONDITIONS

1. The quantity mentioned in the Limited Tender Notice of the above items is an estimate only. Actual requirement of the items may vary (less or more) from the estimated quantity which will be decided by the Management of Dr. B. Borooah Cancer Institute at the time of purchase.
2. The quotation must be in the same order as in the specifications and should be free from correction/erasures. In case there is any unavoidable correction it should be properly attached. If not the quotation will not be considered. Quotation written in pencil will not be considered.
3. The quotation shall be submitted in one sealed and this will be **received up to 2:00 PM of 23.03.2021** and the same will be opened on the same day at **3:00 PM**.
4. The quotation must accompany the product details.
5. Director, Dr. B. Borooah Cancer Institute reserves the right to accept the offer by individual terms and reject any or all tenders without assigning any reason thereof and does not bind itself to accept lowest quotations.
6. **Participation in this tender is by invitation only and is limited to the Registered Vendors only.** Unsolicited offers are liable to be ignored. However, suppliers who desire to participate in such tender in future may bring it to the notice of the authority and apply for registration as per procedure.
7. Please mention the make/ brand & model of the quoted product. Also submit necessary leaflet of the quoted product.
8. The valid technical offers will be evaluated by a Technical Assessment Committee (TAC) of the Institute. The TAC will recommend the technically short-listed vendors for further consideration. The offers of the technically shortlisted vendors/ products will only be considered for price comparison.
9. The successful quotationer shall have to supply the materials to this Institute at his own risk and responsibility and in good condition in all respects.
10. The quotation notice is to be duly signed on all pages as a token of having accepted all terms and conditions (no thumb impression is to be affixed).
11. The price should be quoted in the following format which should be inclusive of all charges. Taxes, if any, should be shown separately. However, GST will be paid to the successful vendor on prevailing rate at the time of billing/ payment.

SL No	Item	HSN	Unit price (Rs.)	Qty	Amount before GST (Rs.)	GST %	Any other taxes, if applicable	Grand Total (after GST) (Rs.)

(Contd./ p2)

12. The quotation shall include delivery time, payment terms, etc. and other relevant T & C.
13. The rate should be quoted both in figure and in words.
14. Payment will be made within 60 (sixty) days of submission of bill after successful supply of the items.
15. Incomplete quotation not in conformity with the terms and conditions as in this quotation notice will be rejected outright.
16. Decision of the Technical Assessment Committee/ Purchase Committee/ any other committee constituted by the authority of Dr. B. Borooah Cancer Institute shall be final and binding in all cases.

13/12/21

**Sr. Administrative Officer**  
Dr. B. Borooah Cancer Institute  
Guwahati- 781016

To:

1. BBCI website [www.bbcionline.org](http://www.bbcionline.org)
2. BBCI Notice Board

## Special features of Luxury Donor Station

Designed to meet all the safety aspects of EN 60601-1 protects against elec. Shock hazards, fire hazards, mechanical hazards, electro-magnetic interference etc.

Ensuring safety and comfort to the donor and the phlebotomist. The suitably and comfortably cushioned couch minimizes **vasovagal attack** by its special design. **In case of vasovagal attack, the donor position can be quickly changed from 'Head high-foot low' to 'Head low-foot high' position by operating a simple switch.**

**Noise free operation to ensure donor comfort**

Trays for placing Blood Collection Monitor, BP apparatus, accessories like cotton swabs, betadine solution, band aid, IV stand etc.

**Interface to BCM, no need for separate power source.**

Manoeuverability is easy with LDC-300 with **locking provision for castor wheels.**

Comfortable positioning of the arm provided by swivel and height adjustable arm rests.

**Adjustable head rest** to suit different donor height requirements.

Three motors adjustment provided for the most comfortable position for donor as well as the suitable height for the phlebotomist to perform the venipuncture.

## Technical specifications of Luxury Donor Station

Power source	:	100 - 240 V, 50/60 Hz, single phase AC
Lifting capacity (approx.)	:	150 kg (Donor Weight).
Motor	:	Three motors
Classification	:	Class I, Protection against electrical shock
Ingress of water	:	IPX0
Movement/Position vasovagal attack	:	Any intermediate position between seating/donation position and Position by wired remote control.
Movement actuation	:	DC motor and torque multiplier
Initiation of motor movement	:	By operating the rocker switch
Arm rests	:	By swivel able and height adjustable
Upholstery	:	Soft moulded upholstery of 100mm thickness
Manoeuverability	:	Provided with lockable castor wheels
Accessories	:	Paper role holder
Other option reading lamp, battery backup.	:	BCM cum accessories stand with telescopic IV pole, Video player,
Length of seat	:	550 cm $\pm$ 20mm
Length of swivel/back seat	:	900 cm $\pm$ 20mm
Seat width	:	600 cm $\pm$ 20mm
Length of leg rest	:	650 cm $\pm$ 20cm
Width of arm rest	:	150 cm $\pm$ 10cm
Length of arm seat	:	600 cm $\sim$ 20 c

*Dr. Anil Kumar*  
19/12/21  
*Ranjit Sharma*

Max. Height of seat	:	780cm ± 20cm
Min. height of seat	:	580cm ± 20cm
Max. height of back rest	:	1320cm ± 2cm
Min. height of back rest	:	370 ± 20mm
Max. Height of leg rest	:	700 ± 20mm
Min. Height of leg rest	:	200 ± 20mm
Standards & approvals	:	CE mark & S Mark
Manufacturing Standard	:	ISO 9001:2008(TUV), EN ISO 13485:2012.

*Amulya*  
*19/2/21*  
*Ranjit Sarma*